



VAN BUREN COUNTY SOIL EROSION & SEDIMENTATION CONTROL PERMIT

219 E. Paw Paw Street, Suite 301
Paw Paw, Michigan 49079
(269) 657-8241; Fax (269) 657-0176

Date Issued: 2-28-11Permit #: 11-2-207Expiration Date: 2-28-12

Issued under authority of Part 91, Soil Erosion and Sedimentation Control, of the Natural Resources and Environmental Protection Act 1994 PA 451, as amended.

Applicant/Owner: deBest, Inc. Address: 107 72nd Street
City: South Haven State: MI Zip Code: 49090
Phone: 269-637-5666

On-Site Responsible Person: Brian deBest Company: deBest, Inc. Phone: 269-637-5666

Address where earth change will take place: 129 Michigan St.City: South Haven State: MI Zip Code: 49090Section: 10 Parcel: 80-53-037-001-00 Township: South Haven Van Buren County.Permitted Activity: Tree clearing, retaining wall construction, which will include backfill.**PERMIT CONDITIONS:**

- All construction work shall comply with the requirements of Part 91, Soil Erosion and Sedimentation Control, of the Natural Resources and Environmental Protection Act, P.A. 451 of 1994 as amended (2000).
- ~~This permit does not waive the necessity for obtaining all other required Federal, State, or local permits.~~
- The permitted activity shall be completed in accordance with the approved plans and specifications, and the GENERAL (on reverse side) and SPECIFIC (below) conditions.
- ~~Permittee shall notify the permitting agency within one (1) week after completing the permitted activity, or one (1) week prior to the permit expiration date, whichever comes first.~~


SPECIFIC CONDITIONS:

1. ~~Erosion control measures to be installed and maintained as shown on SESC Plan. (Silt fence must be trenched and 6")~~
2. Be aware that grade changes resulting in increased runoff onto adjacent property is subject to civil damage litigation.
3. No sediment to reach the waters of Black River, adjacent wetlands, private or public properties, including but not limited to storm drains, sewers, streets, etc.
4. Minimum 50' buffer strip of undisturbed natural vegetation between earth change activity and Black River.
5. Any stockpiles of soil left over 90 days are to be temporarily seeded in cover crop and/or blanketed.
6. Permanent soil erosion control measures to be completed within five (5) calendar days after final grade or earth change.

GENERAL CONDITIONS:

In accordance with Rule 1709 promulgated under the authority of Part 91, Soil Erosion and Sedimentation Control, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, and in addition to the information on the attached plan(s) and special conditions, the following general conditions apply to the earth change authorized by this permit:

- Design, construct and complete the earth change in a manner that limits the exposed area of disturbed land for the shortest period of time.
- Remove sediment caused by accelerated soil erosion from runoff water before it leaves the site of the earth change.
- Temporary or permanent control measures shall be designed and installed to convey water around, through, or from the earth change at a non-erosive velocity.
- Install temporary soil erosion and sedimentation control measures before or upon commencement of the earth change activity and maintain the measures on a daily basis.
- Remove temporary soil erosion and sedimentation control measures after permanent soil erosion measures are in place and the area is stabilized. ("Stabilized" means the establishment of vegetation or the proper placement, grading, or covering of the soil to ensure its resistance to soil erosion, sliding, or other earth movement.)
- Complete permanent soil erosion control measures for the earth change within five calendar days after final grading or upon completion of the final earth change. If it is not possible to permanently stabilize the earth change, then maintain temporary soil erosion and sedimentation control measures until permanent soil erosion control measures are in place and the area is stabilized.



Brandon Kulhanek, CEA